

APPENDIX II:

CLAIM AMENDMENTS:

Amend Claim 10, and enter new Claims 24 to 31, as indicated in the following listing of the claims:

1. - 9. (*canceled*)

10. (*currently amended*) A solid mixture comprising


a) a sulfonylurea herbicide, ~~and~~

b) an alkylpolyglycoside, ~~and~~

c) optionally one or more further active compounds,

with the proviso that said further active compound (c) is different from aminophosphoric acids.

11. (*previously presented*) The solid mixture as claimed in claim 10, comprising a sulfonylurea herbicide of the formula



where:

R¹ is

C₁-C₄-alkyl, which may carry from one to five of the following groups: methoxy, ethoxy, SO₂CH₃, cyano, chlorine, fluorine, SCH₃, and S(O)CH₃,
halogen,

a group ER¹⁹ in which E is O, S or NR²⁰,
COOR¹², NO₂, S(O)_nR¹⁷, SO₂NR¹⁵R¹⁶ or CONR¹³R¹⁴;

R² is hydrogen, methyl, halogen, methoxy, nitro, cyano, trifluoromethyl, trifluoromethoxy, difluoromethoxy or methylthio;

Y is F, CF₃, CF₂Cl, CF₂H, OCF₃, OCF₂Cl, C₁-C₄-alkyl or C₁-C₄-alkoxy;

X is C₁-C₂-alkoxy, C₁-C₂-alkyl, C₁-C₂-alkylthio, C₁-C₂-alkylamino, di-C₁-C₂-alkylamino, halogen, C₁-C₂-haloalkyl, C₁-C₂-haloalkoxy;

R is hydrogen or methyl;

R¹⁹ is C₁-C₄-alkyl, C₂-C₄-alkenyl, C₂-C₄-alkynyl or C₃-C₆-cycloalkyl, each of which may carry from 1 to 5 halogen atoms, fur-

thermore, in the case that E is O or NR²⁰, R¹⁹ is also methylsulfonyl, ethylsulfonyl, trifluoromethylsulfonyl, allylsulfonyl, propargylsulfonyl or dimethylsulfamoyl;

R²⁰ is hydrogen, methyl or ethyl;

R¹² is a C₁-C₄-alkyl group which may carry up to three of the following radicals: halogen, C₁-C₄-alkoxy, allyl or propargyl;

R¹⁷ is a C₁-C₄-alkyl group which may carry from one to three of the following radicals: halogen, C₁-C₄-alkoxy, allyl or propargyl;

R¹⁵ is hydrogen, a C₁-C₂-alkoxy group or a C₁-C₄-alkyl group;

R¹⁶ is hydrogen or a C₁-C₄-alkyl group;

R¹³ is H, C₁-C₄-alkyl, or C₁-C₄-alkoxy;

R¹⁴ is C₁-C₄-alkyl;

n is 1 - 2; and

Z is N or CH.

12. (previously presented) The solid mixture as claimed in claim 10, comprising a further herbicidally active compound c).
13. (previously presented) The solid mixture as claimed in claim 10, comprising from 0.5 to 75% by weight of the component a).
14. (previously presented) The solid mixture as claimed in claim 10, comprising from 1 to 50% by weight of the component b).
15. (previously presented) The solid mixture as claimed in claim 10, comprising an alkylpolyglycoside having a degree of polymerization of 1-3.
16. (previously presented) The solid mixture as claimed in claim 15, comprising an alkylpolyglycoside having a degree of polymerization of 1-2.
17. (previously presented) A method of controlling undesirable plant growth, which comprises treating the plants and/or the area to be kept free of the plants with a herbicidal amount of a solid mixture as claimed in claim 10.
18. (canceled)
19. (previously presented) The solid mixture as claimed in claim 10, further comprising ammonium sulfate.

- R⁶ is C₁-C₄-alkyl, C₁-C₄-alkoxy, C₂-C₄-haloalkenyl, F, Cl, Br, CO₂R¹², C(O)NR¹³R¹⁴, SO₂NR¹⁵R¹⁶, S(O)_nR¹⁷, C(O)R¹⁸ or L;
- R⁷ is H, F, Cl, CH₃ or CF₃;
- R⁸ is H, C₁-C₄-alkyl or pyridyl;
- R⁹ is C₁-C₄-alkyl, C₁-C₄-alkoxy, F, Cl, Br, NO₂, CO₂R¹², SO₂NR¹⁵R¹⁶, S(O)_nR¹⁷, OCF₂H, C(O)R¹⁸, C₂-C₄-haloalkenyl or L;
- R¹⁰ is H, Cl, F, Br, C₁-C₄-alkyl or C₁-C₄-alkoxy;
- R¹¹ is H, C₁-C₄-alkyl, C₁-C₄-alkoxy, C₂-C₄-alkoxy; haloalkenyl, F, Cl, Br, CO₂R¹², C(O)NR¹³R¹⁴, SO₂NR¹⁵R¹⁶, S(O)_nR¹⁷, C(O)R¹⁸ or L;
- R¹² is C₁-C₄-alkyl, with or without substitution by halogen, C₁-C₄-alkoxy or CN, allyl or propargyl;
- R¹³ is H, C₁-C₄-alkyl or C₁-C₄-alkoxy;
- R¹⁴ is C₁-C₄-alkyl;
- R¹⁵ is H, C₁-C₄-alkyl, C₁-C₄-alkoxy, allyl or cyclopropyl;
- R¹⁶ is H or C₁-C₄-alkyl;
- R¹⁷ is C₁-C₄-alkyl, C₁-C₄-haloalkyl, allyl or propargyl;
- R¹⁸ is C₁-C₄-alkyl, C₁-C₄-haloalkyl or C₃-C₅-cycloalkyl, with or without substitution by halogen;
- n is 0, 1 or 2;
- L has the structure



where

- R_j is H or C₁-C₃-alkyl;
- W is O or S;
- X is H, C₁-C₄-alkyl, C₁-C₄-alkoxy, C₁-C₄-haloalkoxy, C₁-C₄-haloalkyl, C₁-C₄-haloalkylthio, C₁-C₄-alkylthio, halogen, C₂-C₅-alkoxyalkyl, C₂-C₅-alkoxyalkoxy, amino, C₁-C₃-alkylamino or di(C₁-C₃-alkyl)amino;
- Y is H, C₁-C₄-alkyl, C₁-C₄-alkoxy, C₁-C₄-haloalkoxy, C₁-C₄-alkylthio, C₁-C₄-haloalkylthio, C₂-C₅-alkoxyalkyl, C₂-C₅-alkoxyalkoxy, amino, C₁-C₃-alkylamino, di(C₁-C₃-alkyl)amino, C₃-C₄-alkenyloxy, C₃-C₄-alkanyloxy, C₂-C₅-alkylthioalkyl, C₂-C₅-alkylsulfinylalkyl, C₂-C₅-alkylsulfonylalkyl, C₁-C₄-haloalkyl, C₂-C₄-alkenyl, C₃-C₅-cycloalkyl, azido, fluorine or cyano; and
- Z is CH or N;

or is an agriculturally useful salt thereof.

23. (*previously presented*) The solid mixture as claimed in claim 10, wherein the alkylpolyglycoside has the formula



where R^{21} is an alkyl radical having from 4 to 30 carbon atoms and Z is a glycoside radical having from 5 to 6 carbon atoms and a is in the range from 1 to 6.

24. (*new*) The solid mixture as claimed in claim 10, wherein component (a) is present in from 0.5 to 75% by weight, and component (b) is present in from 1 to 50% by weight.
25. (*new*) The solid mixture as claimed in claim 24, wherein component (a) is present in from 1 to 25% by weight, and/or component (b) is present in from 5 to 25% by weight.
26. (*new*) The solid mixture as claimed in claim 24, wherein component (c) is present in from 1 to 60% by weight.
27. (*new*) The solid mixture as claimed in claim 24, which further comprises, as component (d), from 0.5 to 25% by weight of one or more further surfactants.
28. (*new*) The solid mixture as claimed in claim 24, which further comprises, as component (e), one or more customary formulation auxiliaries selected from the group consisting of: solid carriers, water-soluble compounds and salts, binders, lubricants, defoamers, and complex formers.
29. (*new*) The solid mixture as claimed in claim 24, which is in form of granules having a mean particle size of from 200 μ m to 2 mm.
30. (*new*) The solid mixture as claimed in claim 10, which is in form of granules having a mean particle size of from 200 μ m to 2 mm.
31. (*new*) The solid mixture as claimed in claim 24, which consists essentially of
- a) from 1 to 25% by weight the sulfonylurea herbicide;
 - b) from 5 to 25% by weight of the alkylpolyglycoside;
- and at least one component selected from the group consisting of:
- c) from 1 to 60% by weight of the one or more further active compounds;

- d) from 0.5 to 25% by weight of one or more further surfactants;
and
- e) one or more customary formulation auxiliaries selected from the group consisting of: solid carriers, water-soluble compounds and salts, binders, lubricants, defoamers, and complex formers;

and which solid mixture is in form of granules having a mean particle size of from 200 μm to 2 mm.